SERDP08/2011Symposium/SympSession/Talk 2C_Miake-Lye.ppt

SERDP Annual Symposium
Washington, DC
30 November 2011



From Contrails and Smoke Trails to Exhaust Particle Processes:

A brief history of aircraft particulate emissions

Presented by:

R.C. Miake-Lye

Report Documentation Page

Form Approved
OMB No. 0704-0188

1. REPORT DATE	2. REPORT TYPE	3. DATES COVERED
30 NOV 2011		**00-00-2011 to 00-00-2011**

4. TITLE AND SUBTITLE	5a. CONTRACT NUMBER
From Contrails and Smoke Trails to Exhaust Particle Processes: A brief history of aircraft particulate emissions	5b. GRANT NUMBER
	5c. PROGRAM ELEMENT NUMBER
6. AUTHOR(S)	5d. PROJECT NUMBER
	5e. TASK NUMBER
	5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) **Aerodyne Research, Inc,45 Manning Road,Billerica,MA,01821-3976**	8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)	10. SPONSOR/MONITOR'S ACRONYM(S)
	11. SPONSOR/MONITOR'S REPORT NUMBER(S)

12. DISTRIBUTION/AVAILABILITY STATEMENT
Approved for public release; distribution unlimited

13. SUPPLEMENTARY NOTES
Presented at the Partners in Environmental Technology Technical Symposium & Workshop, 29 Nov ? 1 Dec 2011, Washington, DC. Sponsored by SERDP and ESTCP. U.S. Government or Federal Rights License

14. ABSTRACT
In the beginning of the jet age, the visibility of the exhaust from airplanes drew attention to the particles being emitted. Whether at altitude in a contrail or near the ground due to visible smoke, the particles in the exhaust made the aircraft engines' emissions visible for all to see. This visibility motivated studies to understand and control the particles being emitted by aircraft, and resulted in some of the first regulations on particle emissions represented by the on-going certification requirement of a smoke number measurement. Scientific understanding of both the measurement of particles and their impact on climate and human health have advanced considerably since then, and there is much active research to continue to better understand Particulate Matter (PM) emissions and their resulting impacts. Important landmarks will be presented that represent steps along the way from earlier interest in contrails and smoke trails to present day understanding of PM emissions and particle microphysics.

15. SUBJECT TERMS

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			
unclassified	**unclassified**	**unclassified**	**Same as Report (SAR)**	**15**	

FROM CONTRAILS AND SMOKE TRAILS TO EXHAUST PARTICLE PROCESSES: A BRIEF HISTORY OF AIRCRAFT PARTICULATE EMISSIONS

DR. RICK MIAKE-LYE
Aerodyne Research, Inc.
45 Manning Road
Billerica, MA 01821-3976
(978) 932-0251
rick@aerodyne.com

In the beginning of the jet age, the visibility of the exhaust from airplanes drew attention to the particles being emitted. Whether at altitude in a contrail or near the ground due to visible smoke, the particles in the exhaust made the aircraft engines' emissions visible for all to see. This visibility motivated studies to understand and control the particles being emitted by aircraft, and resulted in some of the first regulations on particle emissions represented by the on-going certification requirement of a smoke number measurement. Scientific understanding of both the measurement of particles and their impact on climate and human health have advanced considerably since then, and there is much active research to continue to better understand Particulate Matter (PM) emissions and their resulting impacts. Important landmarks will be presented that represent steps along the way from earlier interest in contrails and smoke trails to present day understanding of PM emissions and particle microphysics.

Contrails: white stripes in the sky

Smoke Trails: black lines on takeoff

Timeline: Dawn of the Jet Age to now …



- 1953 Appleman paper on contrails: Thermodynamics
- 1970 SAE E-31 Aerospace Recommended Practice for Smoke Number ARP1179 Measure smoke
- 1972-5 US DoT Research: CIAP Ozone in Stratosphere
- 1990s NASA and EC Research: IPCC 1999 Report
  - AEAP (AESA, SASS) Upper Atmospheric Pollution Impacts
  - POLLINAT, SULFUR1-7 Upper Atmospheric Pollution Impacts
- 2000s NASA, FAA, DoD, EPA, and EC:
  - NASA/QinetiQ, PartEmis Particle emissions issues focus
  - EXCAVATE Focus on Volatile Aerosol (Exhaust Organics & Oil!)
  - APEX1-3 Aviation Particle Emissions eXperiment (soot and vol)
- 2010s and on-going:
  - AAFEX1-2 Alternative Fuels
  - SERDP projects Soot, Volatile PM, and Alternative Fuel Projects
  - E-31 AIRs, ARP on particle measurements and SAMPLE1-3, FAA methods work Moving toward PM certification methods

Contrails and Smoke Trails



Contrails then:

- Visibility Issue
- Understanding of Thermodynamics

  (military activities)

Contrails now:

- Global Climate Issues
- Cloud physics and the science of kinetics
  - Not just water,
  - ***Not just black carbon***

Smoke Trails then:

- Visible contribution to pollution
- US EPA then ICAO control visible smoke

"Smoke Trails" now:

- Global Climate Issues
  - Connections to contrails
  - Absorption of sunlight
- Local and regional air quality
  - ***Not just black carbon***

AIAA Paper 91-3158, 1991, AIAA JOURNAL OF AIRCRAFT (30) 467-479, 1993.

stratified atmosphere, it will
ıe to the higher pressures en-
ɔyancy. The effect of this buoy-
ı oscillatory vertical motion at

$$\left(\frac{dT_a}{dz} - \frac{dT}{dz}\right) \qquad (15)$$

pheric laps

$$\frac{\gamma - 1}{\gamma}\frac{T}{H_p} \qquad (16)$$

cending air (H_p is the pressure
). However, a second effect of
is of interest to us. This is the
te in sense to that of the wing
ear from the two-dimensional

$$= -\frac{1}{\rho}\nabla\left(\frac{1}{\rho}\right) \times \nabla p \qquad (17)$$

Better engine efficiency reduces ΔT (a little): more contrails, Schumann 1996



End point determines persistence

Affect slope by changing ΔT or w_0

Fig. 5 Temperature—water vapor content (*T*-*w*) plane with water and ice saturation curves overlaying exhaust dilution trajectories.

Schmidt-Appleman Plot

EPA push in late 60s for aviation SN

- Resulted in ARP 1179
- Diesel truck regulations in 2000s
  - Operation closer to population centers
  - Many more operations, more fuel consumed
- ARP 1179D no longer sufficient, need mass (and number) to better quantify PM emissions
- Airplanes use combustion control, not aftertreatment

Changes in soot emissions since 1970s

- SN certification requirement has reduced visibility of Smoke Trails
- Combustor improvements for NO_x and Smoke
- On-going combustor development continues (later talks)

Aviation and the Global Atmosphere

- Started to “rehash” the 1970s CIAP problem of Ozone at altitude in 1990s
- Recognized hetero-genous chemistry, and particle emissions studied
- Sulfur in fuel can help nucleate new particles. Particles can affect contrails.



Since IPCC report



- Many measurement programs to better understand particle emissions and how they form and evolve (basic science questions)
- Lab and fields studies better quantify soot, sulfate, organics, oil, and how they all interact
- Many advances in measurement tools and sampling techniques
- Significant steps in developing theoretical understanding of what is important for ***climate*** and for ***local air quality***

…. (later talks)

Volatile PM processes



Current focus: Particle Processes

- Particle “microphysics” complex and involves soot and volatile contributions
- Species condense whether or not a contrail forms, and they contribute to PM mass
- Contrails and Smoke Trails interrelated and share many key PM scientific elements



Smoke trails are mostly gone

But particles present, still evolve